# Product data sheet

Specifications



## connecting cable - Modicon Premium - 1 m - for sub-base ABE7H16R20

TSXCDP103

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Modicon Premium |
| **Accessory / separate part designation** | Connecting cable |
| **Accessory / Separate Part Type** | Connecting cable |
| **Accessory / separate part category** | Connection accessories |
| **Accessory / separate part destination** | Sub-base ABE7H16R20 |

## Complementary

| | |
|---|---|
| **Product Compatibility** | TSXCTY2A<br>TSXCFY21<br>TSXCTY2C<br>TSXCTY4A<br>TSXCCY1128<br>TSXCFY11<br>TSXCAY |
| **Cable length** | 3.3 ft (1 m) |
| **Electrical connection** | 1 connector HE10, 20 ways module side<br>1 connector HE10, 20 ways PLC side |
| **Wire section** | 0.0005 in² (0.324 mm²) |
| **AWG Gauge** | AWG 22 |
| **Product Weight** | 0.33 lb(US) (0.15 kg) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US1PC1422556 |
| **Discount Schedule** | PC14 |
| **GTIN** | 3389110647761 |
| **Returnability** | Yes |
| **Country of origin** | TN |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 1.57 in (4.000 cm) |
| **Package 1 Width** | 8.27 in (21.000 cm) |
| **Package 1 Length** | 9.84 in (25.000 cm) |
| **Package weight(Lbs)** | 6.702 oz (190.000 g) |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Unit Type of Package 2** | S02 |
| **Number of Units in Package 2** | 10 |
| **Package 2 Height** | 5.91 in (15.000 cm) |
| **Package 2 Width** | 11.81 in (30.000 cm) |
| **Package 2 Length** | 15.75 in (40.000 cm) |
| **Package 2 Weight** | 4.916 lb(US) (2.230 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | No need of specific recycling operations |
| Take-back | No |